

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	456	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/31 15:32
S1	0	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/31 15:32
S2	17788	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 14:45
S3	3282	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:30
S4	330	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:30
S5	22	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data)) near5 (component instance)) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:52
S6	55	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 14:48
S7	6	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 14:57

EAST Search History

S8	610	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 15:19
S9	36312	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:56
S10	60920	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 15:51
S11	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/19 09:38
S12	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/19 09:38
S44	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/18 11:05
S45	10	("6226692" "6226692" "4385352" "5983274" "6490719" "6690782" "6690783" "4902237" "5448726" "5606665" "5864712").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S46	0	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S47	22973	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S48	4016	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07

EAST Search History

S49	426	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S50	30	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data)) near5 (component instance)) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S51	74	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S52	7	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S53	785	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S54	39685	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S55	64743	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S56	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S57	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07

EAST Search History

S58	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S59	1	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container proptert\$3 event design anj time adj (information attribute proptert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S60	25238	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S61	4379	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container proptert\$3 event design anj time adj (information attribute proptert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S62	469	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container proptert\$3 event design anj time adj (information attribute proptert\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S63	32	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container proptert\$3 event design anj time adj (information attribute proptert\$3 metadata meta adj data)) near5 (component instance)) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S64	92	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S65	11	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34

EAST Search History

S66	864	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S67	42531	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S68	69062	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S69	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S70	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S71	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S72	10	("6226692" "6226692" "4385352" "5983274" "6490719" "6690782" "6690783" "4902237" "5448726" "5606665" "5864712").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S73	1	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S74	25238	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S75	4379	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34

EAST Search History

S76	42531	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S77	69062	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S78	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S79	32	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data)) near5 (component instance)) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S80	92	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S81	11	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S82	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S83	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S84	469	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34

EAST Search History

S85	864	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
S89	40	(shawn and burke).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 16:46
S90	29	(Brian and Pepin).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 16:48
S92	6091	design adj time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:47
S93	991	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 16:49
S94	20384	metadata (meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 16:50
S95	2	S92 and S93 and S94	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 16:50
S96	0	S92 same S93 same S94	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 16:50
S97	257923	(application program software code) near5 (develop\$4 creat\$3 build\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:45
S98	2383	S97 and S92	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:43
S99	9581	simulat\$3 near5 run\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:43
S10 0	1416	simulat\$3 near5 compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:45

EAST Search History

S10 1	622	S99 and S100	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:43
S10 2	49	S101 and S98	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:44
S10 3	622	(simulat\$3 near5 compil\$5) and (simulat\$3 near5 run\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:46
S10 4	2383	(application program software code) near5 (develop\$4 creat\$3 build\$3) and design adj time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:46
S10 5	0	(simulat\$3 near5 compil\$5) and (simulat\$3 near5 run\$4) same ((application program software code) near5 (develop\$4 creat\$3 build\$3) and design adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:46
S10 6	10	S93 and S104	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:46
S10 7	51	design adj time adj environment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:47
S10 8	50	S107 and S104	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:48
S10 9	0	S108 and S103	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:48
S11 0	243	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/29 18:56